SECRET

14 0005 11230

25X1

25X1

25X1 25X1

25X1 25X1

NRO REVIEW COMPLETED

25X1

25X1

25X1

25X1

25X1

COR-0825-60 Copy_3 ex 3

MEMORANDAM FOR THE RECORD

SUBJECT:

Discussions at San Francisco on the ARGON and CORONA programs

1. As a result of discussions with
clusive of any changes as a manufactured which are ex-
clusive of any changes as a result of technical discussions on 2
potential of increasing black hardware conducted have the
potential of increasing black hardware costs to this program.
In addition to this his stack hardware costs to this program
In addition to this blossom telemetry will cost approximately by 30 June 1960 plus an unknown approximately
by 30 June 1960 plus an unknown amount after that date.
h dent care.
b. CORONA Prime-The total estimate of
Mr. Meyer, AF, has advised
appears adequate (Mr. Meyer, AF, has advised recently that only will be available I July 1960) except that:
changes through 30 The figure includes for G.E.
changes through 30 June 1960 (nothing beyond) plus for G.E.
G.E. field services. G.E. has indicated that the stringent
quality control required has indicated that the stringent
quality control required may increase the cost further.
(44) 45-2
(11) the FCIC-ITEK changes will cost approximately
A SECONDIFICATION OF THE PROPERTY OF THE PROPE
(4285 At
the Black costs. (iii) the White fixes based on studies may increase
troites.
O MENON IN A I
Meyer is CORONA Double Prime The AF budget estimate of Mr.
Meyer is for the six shots.
d Attacher on
d. ARGON-The estimated cost for LMSD is
(1) FCIC additional costs of
(ii) Hardware costs based on White studies.
(#44)
(111) G.E. costs due to increased quality control.
American Ame

SLIME

Approved For Release 2002/09/03 : CIA-RDP63-00313A000600150047-9

2. The following action is required: a. Check P&E rates on T&M for lenses on A progress	L
b. Prepare Activity Programs for C program	25X
Contracting Of	25X
DPD-DD/P	

O-CB/DFD-Trip Rpt' File 2-CH/DB/DFD

- 3-Chrono

25X1

25X1

SCRIT